

Lautsprecher PA > 18Sound > 21 Zoll > (St $\tilde{A}$ $\frac{1}{4}$ ck) 18-sound 53cm Bass 21 NLW 9601

(St $\tilde{A}$ $\frac{1}{4}$ ck) 18-sound 53cm Bass 21 NLW 9601



18
EIGHTEEN SOUND
EIGHTEENSOUND.COM

Artikelnummer: 18S-21NLW9601

(St $\tilde{A}$ $\frac{1}{4}$ ck) 18-sound 53cm Bass 21 NLW 9601

Hersteller: X!Max Lautsprechertechnik

21" ISV (Innen/außen gewickelte Spule), TSS (Dreifachzentrierung), Demodulationsring zur Verringerung von Verzerrungen. 1800 W AES, 135mm VC, 97 dB/W/m, 8 Ohm, Xmax +/-14mm. Beschichtete Membran. Neodymmagnetsystem, dadurch nur 14kg Gewicht. BR 100-200l

Key Features

- 98 dB SPL 1W / 1m average sensitivity
- 135 mm (5.3 in) split winding four layers ISV copper coil
- 3600 W program power handling
- Carbon fiber reinforced treated cellulose cone
- Triple Silicon Spider (TSS) improves excursion control and linearity even in extreme loading and SPL conditions
- Single Demodulating Ring (SDR) for lower distortion
- Low noise cooling design for very low power compression
- Suitable for bandpass and horn loaded subwoofer designs

General Specifications

Nominal Diameter

533mm (21 in)

Rated Impedance

8 Ohm

AES Power

1800W

Lautsprecher PA > 18Sound > 21 Zoll > (St $\tilde{A}$ $\frac{1}{4}$ ck) 18-sound 53cm Bass 21 NLW 9601

(St $\tilde{A}$ $\frac{1}{4}$ ck) 18-sound 53cm Bass 21 NLW 9601

Program Power

3600W

Peak Power

10000W

Sensitivity

98 dB

Frequency Range

25 - 2000 Hz

Power Compression @-10dB

0,7 dB

Power Compression @-3dB

1,5 dB

Power Compression @Full Power

2,2 dB

Max Recomm. Frequency

150 Hz

Recomm. Enclosure Volume

120 ÷ 250 lt. (4.24 ÷ 8.83 cuft)

Lautsprecher PA > 18Sound > 21 Zoll > (St $\tilde{A}$ $\frac{1}{4}$ ck) 18-sound 53cm Bass 21 NLW 9601

(St $\tilde{A}$ $\frac{1}{4}$ ck) 18-sound 53cm Bass 21 NLW 9601

Minimum Impedance

7,9 Ohm at 25°C

Max Peak To Peak Excursion

70 mm (2,75 in)

Voice Coil Diameter

135 mm (5,3 in)

Voice Coil Technology

split winding, 4 layers copper

Suspension

Triple Roll, Polycotton

Cone

Straight ribbed carbon fiber loaded cellulose

Thiele Small Parameters

Fs

37 Hz

Re

5,9 Ohm

Lautsprecher PA > 18Sound > 21 Zoll > (St $\tilde{A}$ $\frac{1}{4}$ ck) 18-sound 53cm Bass 21 NLW 9601

(St $\tilde{A}$ $\frac{1}{4}$ ck) 18-sound 53cm Bass 21 NLW 9601

Sd

0,1662 sq.mt. (257,6 sq.in.)

Qms

5,5

Qes

0,31

Qts

0,29

Vas

175 lt. (6.18 cuft)

Mms

408 gr. (0,90 lb)

BL

43 Tm

Linear Mathematical Xmax

±14 mm (±0.55 in)

Le (1kHz)

3,10 mH

Lautsprecher PA > 18Sound > 21 Zoll > (StÃ¼ck) 18-sound 53cm Bass 21 NLW 9601

(StÃ¼ck) 18-sound 53cm Bass 21 NLW 9601

Ref. Efficiency 1W@1m (half space)

96,5 dB

Mounting information

Overall diameter

545 mm (21,46 in)

N. of mounting holes and bolt

8

Mounting holes diameter

8,5 mm (0,33 in)

Bolt circle diameter

520 mm (20,47 in)

Front mount baffle cutout & slash;

492 mm (19,37 in)

Rear mount baffle cutout & slash;

490 mm (19,29 in)

Total depth

250 mm (9,8 in)

Flange and gasket thickness

Lautsprecher PA > 18Sound > 21 Zoll > (StÃ¼ck) 18-sound 53cm Bass 21 NLW 9601

(StÃ¼ck) 18-sound 53cm Bass 21 NLW 9601

18 mm (0,7 in)

Net weight

14 kg (30,9 lb)

Shipping weight

15,5 kg (34,2 lb)

CardBoard Packaging dimensions

570x570x290 mm (22,4x22,4x11,4 in)

**Preis: 950,00 EUR [inkl. 19% MwSt zzgl.
Versandkosten]**

Im Shop aufgenommen am